

MANUAL TUBEKITES . BAR SYSTEM

### 1. IMPORTANT WARNINGS

Do not use this product unless you agree with the following terms and conditions. The user of this product understands that the use of this product exposes the user to certain unavoidable risks, dangers and hazards. The user assumes these risks voluntarily. Before using this product, the user has carefully read the user's manual. He understands the safety instructions and agrees to comply with them. The user of this product understands that the seller is not responsible for any damage to property or injury caused by negligent operation of this product by the user, and the user releases the seller from all such liability. If you do not agree with these terms and conditions, do not use this product. Kindly return this product before use and your purchase price will be refunded in full.

#### 2. NEW JN KITES AND FEATURES

### a. Prima Donna

The 6th generation of the legendary freestyler has been revised and is increasing an user base of wave & freeriders. The pure performance-oriented "Modern C-shape" we refined in all sizes, applied only the richest fabrics only to save weight and enhance durability. The strictly applied "Floating Batten Technology" and "Perfect Round Arc Shape" allow a wind-adapted profile. The rider benefits from a larger wind range of its kite and smoother and secure handling even in gusty conditions. Use of highest industry quality in materials such as Teijin TM for the canopy and Polyant Dimension TM for any Dacron area, double seams, durable Kevlar - Cordura reinforcement combined with high end and sustainable JN manufacturing. Developed only by JN, the "Floating Batten Technology" (FBT since 2003)" allows the profile to adjust itself to current winds and gusts, extends the wind range and smooths the handling. The "Perfect Round Arc Shape", possible only thanks to our continuously further developed hard- and software, reduces performance-inhibiting air turbulence and stabilises your kite at all windspeeds. The well balanced construction of Prima Donna helps you e.g. when riding onshore conditions or doing radical jumps by a friendly lee-ward drifting and still turn able kite whenever lines have less tension. Kite profiles, individually adapted to the respective wind speed, are making each kite size unique and specifically designed for its range. Prima Donna is offered in a complete size range, which makes it easier for all disciplines, genders and weight of riders to tailor their perfect quiver.

**Sizes:** 6, 7, 8, 9, 10, 11, 12, 13, 14 m2

Characteristics: Fast flying speed, mid bar pressure, lots of punch for powerful unhooked wakestyle moves, precise, direct steering combined with balanced intuitive feedback, high wind performance like never before, impressive low wind performance, enormous lift and hangtime, instant 5th line safety, simple relaunch

**Features:** "Perfect Round Arc Shape" of all Leading Edge Segments. Less stiches and no kinks, with a thinner Leading Edge, with which we achieve minimal aerodynamic resistance; The "Floating Batten Technology" (FBT), invented by JN, gives the kite straight and drag-free struts, which enhance stability and reduce weight; With its large rigid wingtips, the kite is fast turning but comes with two steering line hang points, giving you the option of a slower (outside) or faster (inside) turning speed; high end manufacturing by double and taped seams; strong reinforcement, best industry materials only: TeijinTM canopy fabric and Polyant DimensionTM Dacron fabric, kevlar at critical points for enhanced durability; stitched in graphic design to save weight; sophisticated 5 strut construction; single point inflation; simple to service; JN Art Design.

### b. Wild Thing Revival

With new Full 3D- Hybrid-Shape, we concentrate on more Wild Thing than ever before: Fast turningspeed, powerful lift and excellent performance with a huge windrange. The Wild Thing profits from the rich innovative JN features, like "Perfect Round Arc Shape" combined with the best available material choice in the industry. We accept no compromises in quality. To answer the low wind needs with a performance there are the sizes 12, 14 and 16.5 m<sup>2</sup>. The sizes 6, 8 and 10 m<sup>2</sup> are covering a huge windrange and provide excellent strong wind performance. Easy four line bridle kite with open C-shape, or 5-line Setup, offers the benefits of a fast, responsive performance weapon when you need it, and has the power for Bigairs or powerful wakestyle moves. The Wild Thing is a steady partner for waves as well. Also with slack on the lines the kite is fast turning and drifting balanced. The hig endsped inspires all freeriders.

**Sizes:** 6, 8, 10, 12, 14, 16.5 m2

**Characteristics:** With the Wild Thing Revival you get a sportive, fast turning, well balanced modern 4 with optional 5 line kite concept serving freestyle and freeride in equal measure.

Simple 4-line leading edge bridle, instant 4 line relaunch with virtual 5th line. Enhanced low wind performance and extended wind range by an optimized effective area with proven canopy design from Michael Nesler. The Wild Thing Revival offers good upwind capability, easy access to high jumps, constant pop and hang time, most direct and responsive steering, fast turning thanks to the JN canopy-tip construction.

Features: "Perfect Round Arc Shape" of all Leading Edge Segments. Less stiches and no kinks, with a thinner Leading Edge, with which we achieve minimal aerodynamic resistance; Geometric and aerodynamic wing twist, a thinner leading edge and low-volume-struts, deliver in combination with the finely tuned bridle a very smooth handling, and with this concept the maximum flight performance; With its large rigid wingtips, the kite is fast turning but comes with 3 steering line hang points, giving you the option of a slower (outside) or faster (inside) turning speed; high end manufacturing by double and taped seams; strong reinforcement, best industry materials only: TeijinTM canopy fabric and Polyant DimensionTM Dacron fabric, kevlar at critical points for enhanced durability; stitched in graphic design to save weight; sophisticated 5 strut construction; single point inflation; simple to service; JN Art Design.

### c. Mr. Fantastic

The 3rd generation will convince you with a typical JN sportive performance. Thanks to a very powerful kite surface, in Full 3D-Concave-Shape, the Mr. Fantastic covers a wide wind range and offers easy handling by a simple and refined 4-line set up. The all purpose kite offers the necessary characteristics to all stages of rider skills and an On/Off power generation for beginners, tight turns and a stable well balanced flying character for more experienced freeriders and wave riders. Mr Fantastic is shaped with a "swept back" leading edge, which allows the rider to adjust the angle of approach as with other high depower kites, but without the loss of direct steering. The JN specific canopy to tip construction gives the kite a very responsive and direct character combined with moderate bar pressure. The simple bridles support, the increased angle of approach and additionally enhance the kite's stability while offering a wide wind range.

**Sizes:** 4.5, 6, 8, 10, 12, 14, 16 m2

**Characteristics:** Increased wind range, more depower through a perfectly adapted bridle setup, enhanced low wind performance, by an optimized effective area, suits everyone, from beginner to professional through its easy handling, high jumps with great floaty hangtime, direct and responsive steering. The Mr. Fantastic is suitable for all conditions and skills thanks to great upwind performance, easy instant 4 line relaunch, single front line safety

**Features:** New JN Full 3D-Concave-Shape; With its large rigid wingtips, the kite is fast turning but comes with 2 steering line hang points, giving you the option of a slower (outside) or faster (inside) turning speed; high end manufacturing by double and taped seams; strong reinforcement, best industry materials only: TeijinTM canopy fabric and Polyant DimensionTM Dacron fabric, kevlar at critical points for enhanced durability; stitched in graphic design to save weight; sophisticated1 to 5 strut construction; single point inflation; simple to service; JN Art Design.


### 3. KITE SETUP

### a. Set up and pack your JN kite


Don't try to use your JN kite with different bars than the JN bar.

**Set up:** Unwrap your kite, plan it to the ground and pin it down by some object which doesn't harm the kite such as a sand bag. Next, attach the pump leash to the pump leash loop in the middle of the kite and start pumping it up by using the inflate valve. Ensure that the cleats, which are closing the single pump connection hose at the struts, are opened.

Pump up your kite to the recommended 6-7 psi. If your pump doesn't provide a pressure gauge, pump the kite until is nice and firm and makes a pinging sound when flicking it with the finger. An underinflated kite doesn't perform properly, impedes relaunch and wears out more quickly. Pumped up properly, you should turn your kite around, lie it on the leading edge and weight it with a heavy object which doesn't harm the kite. Always ensure that there are no material failures such as tears on the canopy or struts.



**Next step:** Unwrap your bar downwind. Ensure that there are no tears and knots at your lines. Sort your lines properly. All JN kites come equipped with an adapter. The bar side has knots at the backlines and a loop at the frontlines. The kite side has exact the opposite, so no connection mistakes are possible. Connect your flying lines to the kite's pigtails by a simple larks head and ensure that they are set properly. Always check your set-up kite, ensuring untwisted lines twice before launching.




Packing: After landing, pin down your kite properly. Always dry your kite and bar before storing them. We recommend you wash all your equipment with fresh-water first. Detach your flying lines and wrap them around the bar. Fix them by the elastic loop at the bar ends. Next, deflate your kite completely by opening the deflate valve. Don't forget to open all single pump clamps to be able to deflate your struts too (in case you want to keep the struts inflated, only deflate the leading edge and wrap your kite up form both sides). Wrap up your kite from both sides. Fold the wrapped up canopy into thirds to be able to pack it into the backpack and store your equipment dry.

### b. Tuning and readjusting Wild Thing Revival & Prima Donna

**5th line adjustment:** To gain ideal performance of your 5-line Prima Donna your 5th line tension is essential. If the 5th line's tension is too high it reduces the kites low wind performance, the lift, the hangtime and the general flying behaviour. After months of use the frontlines get stretched a little because they take most parts of the load. The 5th line doesn't take that much load so doesn't stretch that much. If you feel your kite isn't performing as well any more, try to lengthen the 5th line 2-5cm and the kite's full performance is recovered. Use for this the second knot on the noseline. The ideal length of the 5th line is lightly sagging, while depowering the kite, or lightly is on tension when powered the kite. In opposite it's possible to influence the high wind character by shortening the 5th line 2-5cm. To extend the top wind range of the kite, you can do the opposite by shortening the 5th line 2-5cm.




**Stretched Frontlines:** As told above the frontlines take most parts of the kite's load, so they are the first lines to stretch. When this happens you need to adjust your line lengths. Therefore use a tree or fence, or something else static and tie a rope around it. Attach all 4 or 5 lines to this rope, un-wind your bar and hold the bar tight with bar fully powered. The lines should end all the same level. The backlines offer the possibility to attach them at the "less power" knot which extends the back- lines, so length difference gets balanced. Alternatively you can extend the backlines by moving the knots under the floats at the bar ends.



### c. 5-line-setup or Virtual 5th line Wild Thing


You can fly the Wild Thing optionally with 4 or 5 lines. It is delivered with 5-line-setup. Therefor the 5th line needs to be connected the noseline (Y). As your Frontlines are connected to a flexible pulley, this setup offers you a dynamic kite with lots of depower, stable character and functional range. For conversion of the Wild Thing to 4-line-setup, disconnect the noseline (Y), and connect the added "virtual 5th line" at the hangpoints. This means that the "virtual 5th line" needs to be connected to the hangpoints and to the Frontline-bridles to stabilize. These offer you great power and pop as well as easy handling and relaunch.





### 4. ELEMENTS OF KITESURFING


### a. 5-line relaunch

Prima Donna/Wild Thing: After dropping, the kite generally floats on the leading edge. Make sure you are perfectly hooked into your harness. Simply pull the 5th line until the profile tilts backwards. Don't pull too much, so the full canopy doesn't touch the water. This would hinder a fast and easy relaunch. Around 45 degrees is adequate. Now pull one of the backlines so the kites tip is able to catch wind. Patiently wait until the kite starts to crawl to the wind window edge and slowly release the 5th line which should still be under tension. The 5th line should be completely released when kite erects itself vertically. Pull one side of the bar so the kite launches skywards and your kite is relaunched and ready for further action. We recommend to pull the 5th line above the bar at the Clamcleat, this is easier, clearer and safer because the pulled line is away with a safe distance from your body. The handling with the 5th line is so much easier than below the QR.












### b.1) 4-line relaunch

Simply wait until the kite is lying on the leading edge in the very middle of the wind window. Make sure you are perfectly hooked into your harness. Pull the trim adjuster cleat all the way in, and push away the bar for maximum of depower. Then grab either left or right backline handle and pull. The stronger the wind, the faster the kite's tip will rise out of the water, therefore pull harder on the backline-handle in light winds and more gently in strong winds. Once the kite starts to crawl towards the wind window's edge you can let go of the handle and grab the bar accordingly. Keep on pulling/steering until the kite leaves the water. Steer the kite to the zenith and adjust the power according to the prevalent conditions. Find the sweet spot on the depower rope to be able to restart instantly.








#### b. 2) 4-line low wind reverse relaunch


With strong, extended pressure on both steering lines, the kite will fly backwards out of the water. Take the control lines on the PU tubes or with low wind, higher at the end of the front line leaders. Just let the Kite climb in reverse as high as possible and then take the bar and steer the kite out of the power zone. The higher the kite flies backwards the more space there is to control the kite once in the powerzone.


# c. Safety and Quick Release


Attention, the applied safety release is passive, in a case of emergency the mechanism has to be activated manually and in time! The safety system consists of two separate safety steps. First step is the release of the chicken loop by pushing the red handle next to the chicken loop upwards. This leads to an almost pressure less kite which falls to the ground, but is still connected to the kiter by a safety leash. If danger (for you or people and objects around) still exists, it's possible to release the second safety at the leash. By pushing away the red handle at the leash, the kite becomes fully disconnected from the kiter. Be aware, releasing the secondary safety leash disconnects you from your kite so it will fly away and could harm other people or objects around. Practice releasing the safety mechanism, to be able to react instantly in a case of emergency.












ATTENTION!

The safety line must be attached through the triangle of the chicken loop to tie on at the leash. This means that the chicken loop is secure also for unhooked rider.

### **5. KITE BARSYSTEM**


### a. Quick Release reassembling

The assembly of QR is very simple. QR centerpiece at the upper handle with one hand to hold, put loop in the second hand into the strap, press the hard end of the strap against the QR heart and push the handle down until it stops, the handle locks with an audible click. Take care to clean the QR of sand or salt, as this can influence the Releasing negatively.




### Mode conversion: 4-line mode

To fly the Wild Thing with 4-line-setup, the Master's Craft Bar needs to be changed to 4-line mode. Therefor the 5th line (#16) needs to be disconnected and the Safetyline (Ring) is used as one of the Frontlines. The safety line attaches to a single front line, meaning the kite will flag out sideways. When releasing the kite.



## Mode conversion: 5-line mode


The Master's Craft ships in 5-line mode. All lines are installed with the 24m version ready to fly. The 5th line mode is essential for Prima Donna, but can be used also for Wild Thing and Mister Fantastic, all JN Kites are supplied complete with nose lines or already installed, and ready to fly. After activating the safety, the guide ring is used in the safety line #6 at the same time as stopper ring and limits the activation distance, this prevents that the line wrapped around the kite.



### d. Master's Craft Bar length adjustment

The bar end permits 2 bar lengths, 45cm and 55cm, by putting on the changing line #1 on the bar end, pushing up the floats.


4,5 qm - 8 qm	45 cm
8 qm - 12 qm	45/55 cm
12 qm - 16,5 qm	55 cm



# e. Master's Craft line length adjustment


The built 3m Extensions allow to shorten the line length from 24m to 21m. The conversion is easy, the involved Extensions (E 4, E 12 and E7) can be dissambled or mounted by hand. The Extensions are shown red (E) in the sketch. With 6m-Extensions (not included in the scope of supply) the Leashlength of Master's Craft for lowwind-Kites can be extended at 27m, or at 30m. These Extensions are either in place of the existing 3m Extensions (=27m) or installed in addition to the existing extensions.

Under the Floats are on the controlling-lines node leaders with which the line length can be corrected. Just move the floats up. The correct line length for all JN-Kites = all 5 (4) leashes at the same length on full power bar (Adjuster full open, bar is at the QR), head node at the control line on the middle node = normal.



## f. Service, spare parts

JN's desire is to serve every customer from the very first contact till the support with spare parts. Whether a strut bladder, an one-pump hose or a substitution line, we will provide best customer service to you and your kite! For information and / or spare part orders contact info@jn-kites.com



### **6. KITE CARE AND SAFETY**

### a. Kite care

Due to the extreme nature of kiteboarding, a thorough approach should be taken when caring for your kite and all its associated rigging. Frequent inspections of the kite should be made in order to detect punctures, tears, or abrasions in the canopy or struts. It is also necessary to check the flying lines for wear and to untie knots, which often reduce the breaking strength of the flying lines.

**Between sessions:** Never leave an inflated kite unattended for a long period of time. Winds may shift or change and the kite may become unsecured and take off. Do not leave an inflated kite (secured or not) directly exposed to the wind or sunrays for any length of time. This might cause the trailing edge to flap excessively, which can damage the kite. If you must leave the kite exposed to the wind on the track, place sufficient amounts of sand sacks between each batten and near the trailing edge to minimize or stop the flagging and additionally secure it with your sand/snow stake.

**Proper storage:** We recommend washing your kite with fresh water and drying it before rolling it up for storage. Wash your control system from time to time by placing the entire control system (with lines wound onto the bar) into a bucket of fresh water and letting it sit for 5 minutes. Allow to dry properly before storing in a dry location.

### b. Dangers when kiteboarding

We strongly recommend the following: If you have never tried kiteboarding before and you are not sure how to get started safely you must attend a licensed kiteboarding school in order to learn the basics of kiteboarding. Familiarize yourself with safety precautions and with your safety and quick-release equipment in particular. Only go kiteboarding if you are in good physical shape and do not suffer from any medical conditions that may impair your kiting ability. No risk, no fun, but always remember: There are old and there are bold riders. But there are no old bold riders! This kite is not to be used as a paraglider or free-flying device.

When kiteboarding, extreme wind strengths come into play. In rare cases (improper use or loss of control), the kite or its lines and perhaps even the rider as well may cause dangerous flight path situations with other people such as onlookers, swimmers or sun-bathers or obstacles such as houses, vehicles, power lines, etc. Due to the enormous powers involved, this may lead to life-threatening situations. People who get caught in kite lines may suffer from severe gashes or burns. Kite canopies crashing down may injure onlookers. When performing uncontrolled 360 ties (loops), the canopy may give you involuntary "airtime". An uncontrolled landing (especially on land) is particularly dangerous.

### c. Threats to onlookers

It is within your responsibility to check whether uninvolved people or other athletes may be endangered or injured by your actions or your gear. Only fly your canopy over unobstructed areas. Do not fly over people or animals. Ensure that a semicircle extending 100 meters downwind and to each side of your flying position is clear of people and obstructions. Use a kite leash to keep your kite under control. Do not fly your kite in the vicinity of swimmers, kayakers, (wind-) surfers and water skiers as well as near to boats.

### d. Safety of the kiteboarder

Kiteboarding should only be attempted or performed by a reasonably good swimmer. Wearing a Coast Guard-approved live vest can save your life in an unexpected dangerous situation. Go no further from land than you're able to swim back. Do not fly your kite near power lines, telephone poles, airports, streets, buildings and trees. If using a board-leash, you must wear a helmet for protection. Take into account all the usual risks associated with water sports such as rocks, waves, sunburn, hypothermia, jellyfish etc.

### e. Threats through kite lines


Never touch the kite lines while flying, as these lines can become dangerously sharp when under tension. Never use kite lines with notches, cuts etc. These must be replaced. Only use lines that have no knots in them, as knots can weaken lines by as much as 50%. Do not touch the lines of the canopy, unless the kite has been secured to the ground. Never wrap lines around your arms, fingers or other parts of the body.

### f. Wind, water and weather conditions

Do not go kiteboarding in dangerous waters. Please check the wind direction before setting up the kite. Avoid offshore wind. Be careful with onshore wind when sailing close to the shore. Get information on tidal and sea current conditions at your kiting spot. Get information from both the weather report and the locals on prevailing weather conditions. Only go kiteboarding in conditions that allow you to keep 100% control. The stronger the wind, the more dangerous it is. Do not use your kite in gusty winds. Carefully observe the conditions, you might have to cope with additional 2-3 beaufort within shortest time. Never use your kite in the vicinity of thunderstorms or where they are likely to develop. (Check the local weather report) Leave the water immediately when a storm is approaching. Sailing in or near a thunderstorm means putting your life at risk.

### g. Wind range chart

These charts are only general guidelines. Factors like your personal skill, water, snow and ice conditions, as well as board size are all to be considered when selecting the right size.



Beauford	Description	km/h	kts	m/s	Conditions
3	Gentle breeze	12-19	7-10	3.4-5.4	Leaves and smaller twigs in constant motion
4	Moderate breeze	20-28	11-15	5.5-7.9	Dust and loose paper raised, small branches begin to move
5	Fresh breeze	29-38	16-20	8.0-10.7	Branches of a moderate size move, small trees begin to sway
6	Strong breeze	39-49	21-26	10.8-13.8	Large branches in motion, whistling heard in overhead wires
7	High wind, Moderate gale	50-61	27-33	13.9-17.1	Whole trees in motion, effort needed to walk against the wind
8	Gale, Fresh gale	62-74	34-40	17.2-20.7	Some twigs broken from trees, progress on foot is impeded
9	Strong gale	75-88	41-47	20.8-24.4	Some branches break off trees, some small trees blow over
10	Storm, Whole gale	89-102	48-55	24.5-28.4	rees are broken off or uprooted, saplings bent and deformed

# h. Know your skill level

Do not attempt to go kiteboarding without appropriate instruction. Do not go kiteboarding on your own. Make sure you are in good physical shape before using this product. Practice with a low traction kite or trainer kite before flying this kite. The more time you spend with a trainer kite, the safer and faster you will learn. End your Kiteboarding session before you are completely exhausted. Do your homework, make sure you know safety-rules and precautions for all aspects of kiteboarding such as launching, landing, flying, riding, and kiting, self-rescue, etc. Only accept help from people who know how to handle, launch and land your kite properly. You are responsible for the safe operation of your kite.

### 7. RELEASE OF LIABILITY

By assembling and/or using this JN Kite product, you agree that you have read and understood the JN user's manual, including all instructions and warnings contained in that manual, prior to using the JN Sporting Goods product in any way. You also agree that you will ensure any additional or subsequent user of your JN Sporting Goods product will read and understand the manual, including all instructions and warnings contained in that manual, prior to allowing that person to use your JN Sporting Goods product.

**Assumption of risk:** Use of the JN Sporting Goods product and of any of its components involves certain inherent risks, dangers and hazards, which can result in serious personal injury and death for both, the user and non-user third parties. By using the JN Sporting Goods product, you freely agree to assume and accept any and all known and unknown risks of injury to you and to third parties while using this equipment. The risks inherent to this sport can be greatly reduced by abiding to the warning guidelines listed in this user's manual and by using common sense.

Release and waiver of claims: In consideration of the sale of the JN Sporting Goods product to you, you hereby agree to the fullest extent permitted by law, as follows: To waive any and all claims that you have or may in the future have against JN Sporting Goods and all related parties resulting from use of the JN Sporting Goods Product and any of its components. To release JN Sporting Goods and all related parties from any and all liability for any loss, damage, injury or expense that you or any users of your JN Sporting Goods product may suffer, or that your next of kin may suffer, as a result of the use of the JN Sporting Goods product, due to any cause whatsoever, including negligence or breach of contract on the part of JN Sporting Goods and all related parties in the design or manufacture of the JN Sporting Goods product and any of its components. In the event of your death or incapacity, all provisions contained herein shall be effective and binding upon your heirs, next of skin, executors, administrators, assigns, and representatives. JN Sporting Goods-related parties have not made and expressly deny any oral or written representations other than what is set forth herein and the JN Kite user's manual.

#### **8. JN LIMITED WARRANTY**

(JN is a brand of JN Sporting Goods GmbH)

Warranty for kites: This JN Sporting Goods product is warranted to be free of defects in material and workmanship to the original purchaser for the period of 365 days from the date of purchase. All warranties are limited and subject to some restrictions. Please read the attached warranty policy before using these products. Please keep the original receipt of the purchase. To validate this JN Sporting Goods warranty and to demonstrate that you have taken notice of its limitations please fill out the warranty card and return it to JN Sporting Goods within ten (10) days from the date of purchase or register online at www.jn-kites.com within the same period of time, or inform us by e-mail about all details mentioned in the warranty card within ten (10) days from the date of purchase. The warranty is valid only if these products are used for normal recreational activities, and does not cover products used in rental or teaching operations. This warranty does not cover damage caused by misuse, abuse, neglect, or normal wear and tear, including but not limited to: punctures, rigging with components other than JN Sporting Goods, damage due to excessive sun exposure, damage due to over inflation of the bladders, damage caused by improper handling and storage, damage caused by use in waves or shore break, and/or damage caused by anything other than defects in material and workmanship. This warranty is voided if any unauthorized repair, change or modification has been made to any part of the equipment. The warranty for any repaired or replacement equipment is good from the date of the original purchase only. There are no warranties that extend beyond the warranty specified herein. JN Sporting Goods will make the final warranty determination, which may require inspection and/or photos of the equipment, which clearly show the defect. This information or these photos must be compiled and sent by the purchaser at his own cost. Products can be returned only if the purchaser, in advance of returning the product, obtains a return authorization number. The return authorization number must be clearly visible on the outside of the package or the package will be refused. The warranty covers the repair or replacement of the defective product only. JN Sporting Goods will not be responsible for any costs, losses, or damages incurred as a result of loss of use of this product. The original purchase receipt must accompany all warranty claims. The name of the retailer and date of purchase must be clear and legible.

